



FIG. 1

## 2/7









FIG. 2








FIG. 6








FIG. 9





FIG. 10



2 CONTROL BLOCKS

N REED-SOLOMON BLOCKS, ENCODING THE FIRST COPY OF THE DATA.

N REED-SOLOMON BLOCKS, ENCODING THE SECOND COPY OF THE DATA.

OTHER COPIES OF THE DATA (NOT SHOWN) EACH COPY IS N BLOCKS.

FINAL COPY OF DATA - THERE IS ONLY ENOUGH SPACE FOR FIRST 2 OF THE N BLOCKS.

FIG. 11

00: 4F 00 3D 4F 00 3D 4F 00 3D 4F 00 3D OC: 4F 00 3D 4F 00 3D 4F 00 3D 4F 00 3D 32 COPIES OF THE 3D 4F 00 3D 4F 00 3D 00 3D 4F 00 00 3D 4F 00 3D 4 F 00 3D 00 3D 3 BYTE CONTROL 30: 4F 00 3D 4F 00 3D 4 F 00 3D 00 3D INFORMATION 4F 00 3D 4 F 00 00 00 3D 3D 3D 00 3D 4F00 3D 4F 00 3D 00 **54**: 4F 00 3D 4F 00 3D 4F00 3D 4F 00 3D **60**: 00 00 00 00 00 00 00 00 00 00 00 00 RESERVED 6C: 00 00 00 00 00 00 00 00 00 00 00 00 BYTES ARE O **78**: 00 00 00 00 00 00 00 00 00 00

FIG. 12




FIG. 13




FIG. 14